



ООО «Торговий Дом «Лесохимик»
11 Sedova Street, St. Petersburg, 192019, Russia
Tel/fax: +7 812 38 061 77

MATERIAL SAFETY DATA SHEET

1. Product Identification

TALL OIL PITCH

2. Manufacturer

JSC Segezhskiy Pulp and Paper Mill
1, Zavodskaya str., 186420, Segezha, Karelia, Russia

3. Supplier

ООО «Торговий Дом «Лесохимик»
11 Sedova str., 192019, Saint-Petersburg, Russia
Phone/fax: +7 812 38 061 77

4. Hazard Identification

On heating, this product may generate fumes that irritate the eye and may cause respiratory irritation with throat discomfort, coughing, or difficulty breathing.

5. Emergency and First-Aid Procedures

Skin contact: Wash with soap and water
Ingestion: Rinse mouth with water
Eye contact: Rinse immediately with plenty of water

6. Fire and Explosion Data

Extinguishing Media: Water fog or mist, foam, dry chemical, or carbon dioxide.
Unusual Fire and Explosion Hazards: Toxic gases may be released during fire.

7. Accidental release measures

In case of leaking collect substance back to container. Wash leak place with a solution of soda and-or water with soap.

8. Rules of the reference and storage

To keep in dry and good ventilated place separately from food. To keep far from sources of heat. To keep from direct sunlight. To keep far from sources of the open flame. Do not smoke in. It is necessary to exclude access of children and animals. The warehouse should provide protection of substance against direct influence of sunlights, humidity, pollution and mechanical damage. Additional special requirements to conditions of storage are not present.

9. Exposure controls/personal protection



ООО «Торговый Дом «Лесохимик»
11 Sedova Street, St. Petersburg, 192019, Russia
Tel/fax: +7 812 38 061 77

Respiratory protection:	Suitable respiratory equipment in case of insufficient ventilation
Hand protection:	Protective gloves. PVC
Eye protection:	Safety goggles
Skin and body protection:	Suitable protective clothing

10. Physical chemical properties

Color and odor

Substance of black color with light specific odor

Density

1050 kg/m³(20°C).

Solubility in water

Insoluble

11. Stability

Product is stable during 12 months from the date of manufacturing

Conditions to avoid:

Excessive heating

Materials to avoid:

Acids. Bases. Strong oxidizing agents

Hazardous decomposition products:

Carbon dioxide, carbon oxides

12. Toxicity

Will cause irritation due to skin/eye/ingestion contact

13. Environmental protection

It is necessary to avoid contact of substance with drinking sources.

The product possesses light toxic action on fishes and water micro flora of natural reservoirs.

14. Disposal considerations

Methods of disposal: Disposal according to local regulations

15. Transport information

Not classified

16. Regulatory information

EU classification Xi, Irritant R43

Content Tall Oil Pitch

Symbol

X_i



Irritant

Risk-phrases: 43 May cause sensitization by skin contact

Safety-phrases: 24 Avoid contact with skin
37 Wear suitable gloves

17. Additive information

Product should be transported in polyethylene polypropylene or stainless steel containers

Product has manufactured according TU 13-4000177-184-84

Guaranty shelf life – 12 months from date of production